E-Tech W 9 three phase

Wall hung electric sealed system boiler.

> Prepare for a carbon-free future with electric

> Reduced maintenance – no annual landlord certification

> Simple installation anywhere in the building due to no flues needed and quiet operation

> Can provide dual temperature outputs for different circuits such as radiators and underfloor heating (always ensure a safety thermostat is fitted to the underfloor heating circuit)

> All components integrated in one unit (10 litre expansion tank, pressure gauge, safety valve, low water pressure switch, pump and automatic air vent)

> Long life high grade incoloy 800 stainless steel heating element

> Protection from electrical surges due to built-in 3 amp MCB

> Integrated circulating pump for speed of installation

> An economical alternative to LPG and Oil for off-grid locations

> Compatible with different electrical system types

> Perfect match for use with external cylinders for DHW

ACV UK Ltd

St. David's Drive, St. David's Business Park, Dalgety Bay, Fife, KY11 9PF
uk.sales@acv.com | acv.com

*Terms & conditions available at www.acv.com/gb/customer/warranties.

Technical data and dimensions

ACV
EXCELLENCE IN HOT WATER

Name	UNIT	E-Tech W 09 three phase
Part number		A1002092
Output power max (80/60°C)	kW	8.4
Output power min (80/60°C)	kW	5.6
Connection - heating	Ø"	¾
Weight (empty)	kg	45
Max operating temperature	°C	85
Max service pressure heating (primary)	bar	3
Voltage	V	3x400 (+N)
Electrical power requirements	A	12
Space heating energy efficiency class		D
Seasonal space heating efficiency	%	37
Sound power level indoors LWA	dB	15
Number of heating elements		3

442

332

763

763

All dimensions in mm.

Min. 25 mm

Min. 400 mm

Min. 200 mm

Clearances.